REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Cognition and Reports, 1915 Jefferson Davis Highway, Substitution, VA 2202/4302, and to the substitution of the complete programment and Buddet, Paperwork Reduction Project (1074-01188), Washington, D. 2015, 1916.

1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE	3. REPORT TYPE AND DATES COVERED	
	5/25/2001	Final F	Report 01 Jul 98 - 30 Jun 0
4. TITLE AND SUBTITLE Artificial Metallo-Phosphoester	ase		5. FUNDING NUMBERS DAAG55-98-1-0398
Attricial victatio-i nosphoester	asc		DAAG33-76-1-0396
6. AUTHOR(S)			
Jik Chin			
7. PERFORMING ORGANIZATION NAME(S)	AND ADDRESS(ES)		8. PERFORMING ORGANIZATION
Department of Chemistry, McG	ill University		REPORT NUMBER
801 Sherbrooke St. W.		TOT FE IN	
Montreal, Canada	MEREU		
H3A 2K6	AME(S) AND ADDRESSES MAY 25	2001 \\)	
9. SPONSORING/MONITORING AGENCY NA US Army Research Office	AME(S) AND ADDRESSIES) MAY	~ \	10. SPONSORING/MONITORING AGENCY REPORT NUMBER
PO Box 12211	1-4 / A	1	
PO Box 12211 RTP, NC 27709			37670-CH
MIT, NC 4/109			•6
	O		_
11. SUPPLEMENTARY NOTES	## · · · · · · · · · · · · · · · · · ·		
The view, opinions and/or findi			
official Department of the Army	position, policy or decision,	unless so designated by o	ther documentaiton
12a. DISTRIBUTION AVAILABILITY STATEM	ENT	I	12b. DISTRIBUTION CODE
Approved for public release; dis			Did lined light GODE
12 ADOTDACT /// 200			
13. ABSTRACT (Maximum 200 words) Our first two US Army contract	s (Inly 1 '90 to June 30 '03 .	& Mar 15 '94 to Mar 14	'97) involved the study of mono and
			our third US Army contract. Due to
		-	iding period for the third contract wa
			continued to study the role of metal
			drolysis of phosphates with good and
poor leaving groups. We also s			
			phosphates. Generous funding from
ARO for all of the above work		, , , , , , , , , , , , , , , , , , , ,	
	·		
		ኃስለ ለ	N/NO N75
		/ ///////////////////////////////////	0608 075
			0000 012
14. SUBJECT TERMS			15. NUMBER OF PAGES
			6
			16. PRICE CODE
	18. SECURITY CLASSIFICATION	19. SECURITY CLASSIFICATION	
OF REPORT	OF THIS PAGE	OF ABSTRACT	ABSTRACT

unclassified

Unclassified

Standard Form 298 (Rev. 2-89) (EG) Prescribed by ANSI Std. 239.18

UL

unclassified

MEMORANDUM OF TRANSMITTAL

U.S. Army Research Office ATTN: AMSRL-RO-BI (TR) P.O. Box 12211 Research Triangle Park, NC 27709-2211

Reprint (Orig + 2 copies)

Technical Report (Orig + 2 copies)

Manuscript (1 copy)

Final Progress Report (Orig + 2 copies)

Related Materials, Abstracts, Theses (1 copy)

CONTRACT/GRANT NUMBER:

37670-CH.

REPORT TITLE:

Aptificial Metallo- Phospho Esteeases

is forwarded for your information.

SUBMITTED FOR PUBLICATION TO (applicable only if report is manuscript):

Sincerely,

FINAL REPORT

Our first two US Army contracts (July 1, '90 to June 30, '93 & Mar 15, '94 to Mar 14 '97) involved the study of mono and dinuclear metal complexes for hydrolyzing phosphate esters. We have now completed our third US Army contract. Due to my recent move from McGill University to University of Toronto (July 1, '00), the funding period for the third contract was reduced from three to two years (July 1, '98 to June 30, '00). During this period, we continued to study the role of metal ions in phosphate hydrolysis reactions with particular emphasis on understanding the hydrolysis of phosphates with good and poor leaving groups. We also studied the synergistic effect between metal coordination and H-bonding in phosphate hydrolysis. Finally, we have been able to dissect the role of metal ions in hydrolyzing phosphates. Generous funding from ARO for all of the above work is greatly appreciated!

<u>Leaving group effect.</u> In nature there are many important phosphates with good leaving groups (ATP, soman etc) as well as those with poor leaving groups (DNA, RNA, VX etc). Thus it is of considerable interest to understand the mechanism of hydrolysis of both types of phosphates. We studied the hydrolysis of both types of phosphates bound to dinuclear cobalt complexes (1 - 4) and obtained valuable informations on the extent of bond making and bond breaking at the transition states.^{1,2}

Phosphates with good leaving groups hydrolyze more rapidly in 5 than in 6.³ In contrast, phosphates with poor leaving groups hydrolyze more rapidly in 6 than in 5. Strongly basic leaving groups should be protonated at the transition state of the hydrolysis reaction while weakly basic leaving groups need not be protonated. In 6, proton transfer can take place from the nucleophile to the poor leaving group (6a to 6b). In 5, proton transfer cannot take place from the nucleophile to the poor leaving group since we have shown that the nucleophile is the bridging oxide. It therefore appears that phosphates with poor leaving groups hydrolyze more rapidly in 6 than in 5 because proton transfer can take place from the nucleophile to the leaving group in 6 but not in 5.

Hydrogen bonding. We have found that H-bonding can play an enormously important role for hydrolyzing phosphates with poor leaving groups. For example, 7 can be tens of thousands of times more reactive than 8 for hydrolyzing phosphates with poor leaving groups. Similarly we find that 9 is much more reactive than 10 for hydrolyzing phosphates with poor leaving groups. Currently there is considerable interest in metal complexes with internal H-bonds (11-13). Many hydrolytic metalloenzymes have been shown to contain metal-bound ligands that are hydrogen bonded (14). Compounds 7 and 9 represent the first model compounds that provide increased reactivity with internal H-bonding to metal coordinated ligands.

<u>Dissecting the role of metal ions.</u> By systematically studying the reactivity of mono and dinuclear metal complexes (15, 16, 17)⁹ it has been possible to dissect the three modes of activation that metal ions can provide for hydrolyzing phosphates. Lewis acid activation can provide about two orders of maganitude rate-acceleration while nucleophile activation and leaving group activation can provide about eight and six orders of magnitude rate-acceleration respectively.

References

- 1) J. Chin et al J. Am. Chem. Soc. (1998) p8079.
- 2) J. Chin et al J. Am. Chem. Soc. (1999) p3341.
- 3) J. Chin et al J. Am. Chem. Soc. (1998) p9943.
- 4) J. Chin et al J. Am. Chem. Soc. (1999) p4710.
- 5) R. H. Crabtree et al Organometallics. (1999) p1615.
- 6) H. Masuda et al Angew. Chem. Int. Ed. (1998) p798.
- 7) A. S. Borovik et al J. Am. Chem. Soc. (2000) p1836.
- 8) W. N. Lipscomb et al Chem. Rev. (1996) p2375.
- 9) J. Chin et al Acc. Chem. Res.. (1999) p485.

List of publications

- 1) J. Chin et al Curr. Op. Chem. Biol. (1997) p514.
- 2) J. Chin et al J. Am. Chem. Soc. (1998) p8079.
- 3) J. Chin et al J. Am. Chem. Soc. (1998) p9943.
- 4) J. Chin et al J. Am. Chem. Soc. (1999) p3341.
- 5) J. Chin et al J. Am. Chem. Soc. (1999) p3341.
- 6) J. Chin et al Acc. Chem. Res. (1999) p485.

Report of invention: None

Personnel

- D. Williams (PhD)
- N. H. Williams (postdoctoral fellow)
- W. Cheung (MSc)
- B. Stranix (postdoctoral fellow)
- S. J. Lee (postdoctoral fellow)
- K. M. Kim (postdoctoral fellow)
- J. Chin (principal investigator)

Publications from previous contracts from ARO

- 15 Mar '94 to 14 Mar '97
 - 1) J. Chin et al Angew. Chem. Int. Ed. (1993) p1633.
 - 2) J. Chin et al Inorg. Chem. (1994) p665.
 - 3) J. Chin et al J. Chem. Soc. Chem. Commun. (1994) p1441.
 - 4) J. Chin et al Angew. Chem. Int. Ed. (1995) p472.
 - 5) J. Chin et al *Inorg. Chem.* (1995) p1094.
 - 6) J. Chin et al J. Am. Chem. Soc. (1995) p8582.
 - 7) J. Chin et al J. Am. Chem. Soc. (1995) p9441.
 - 8) J. Chin et al Angew. Chem. Int. Ed. (1995) p2412.
 - 9) J. Chin et al J. Am. Chem. Soc. (1995) p10577.
 - 10) J. Chin et al J. Chem. Soc. Chem. Commun.. (1996) p131.
 - 11) J. Chin et al J. Am. Chem. Soc. (1996) p9982.
 - 12) J. Chin et al Inorg. Chem. (1996) p7472.
- 1 July '90 to 30 June '93
 - 1) J. Chin et al J. Am. Chem. Soc. (1993) p3618.
 - 2) J. Chin et al J. Am. Chem. Soc. (1993) p1157.
 - 3) J. Chin et al J. Am. Chem. Soc. (1992) p99792.
 - 4) J. Chin et al Acc. Chem. Res. (1991) p145.
 - 5) J. Chin et al Angew. Chem. Int. Ed. (1990) p523.
 - 6) J. Chin et al J. Am. Chem. Soc. (1989) p4103.
 - 7) J. Chin et al J. Am. Chem. Soc. (1989) p2724.
 - 8) J. Chin et al J. Am. Chem. Soc. (1989) p186.

May 24, '01

Final report: July 1, '98 to June 30, '01

Artificial Metallo-Phosphoesterase

DAAG55-98-1-0398

Jik Chin

Dept of Chemistry, University of Toronto 80 St George St. Toronto, Ontario, Canada M5S 3H6

P-37670-CH

We investigated the role of metal ions in phosphate hydrolysis reactions with particular emphasis on understanding the hydrolysis of phosphates with good and poor leaving groups. We also studied the synergistic effect between metal coordination and H-bonding in phosphate hydrolysis. Finally, we have been able to dissect the role of metal ions in hydrolyzing phosphates.

Metal, phosphate, hydrogen bond, hydrolysis

6